



A North American Supafly Systems Inc. Product

SAFE HANDLING & DISPOSAL INFORMATION

SECTION I-EMERGENCY CONTACTS

EMERGENCY TELEPHONE: 800-788-7636
CHEMICAL NAME & SYNONYMS: NA
TRADE NAME & SYNONYMS: SUPAFLY
CHEMICAL FAMILY: NA
FORMULA: NA

SECTION II-HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS: NA

SECTION III-HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: 5mg m-3 (respirable dust)

ACUTE EFFECTS OF EXPOSURE: Wet mix can dry skin and cause alkali burns. Supafly dust can irritate the eyes and upper respiratory systems.

CHRONIC EFFECTS OF EXPOSURE: Supafly dust can cause inflammation of the tissue of the interior nose and inflammation of the cornea. Hypersensitive individuals may develop an allergic dermatitis.

(Cement may contain traces hexavalent chromium.)

FIRST AID PROCEDURES: Irrigate eyes with water. Wash affected areas of the body with soap and water.

SECTION IV-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NIOSH Approved respirators for protection against nuisance dust.

VENTILATION: Local exhaust can be used, if necessary to control airborne dust levels.

EYE PROTECTION: In dusty environments, tight fitting goggles are recommended.

SKIN PROTECTION: Use barrier creams, gloves, boots, and clothing to protect the skin from prolonged contact with wet Supafly. Shower with soap and water after working with Supafly because cement burns occur with little warning, and little heat is sensed.

SECTION V-PHYSICAL DATA

BOILING POINT: NA
SPECIFIC GRAVITY: 0.5
VAPOR PRESSURE: NA
EVAPORATION RATE: NA
VAPOR DENSITY: NA
SOLUBILITY IN WATER: Slight
PERCENTAGE OF VOLATILE: ss

SECTION VI-FIRE AND EXPLOSION DATA:

FLASH POINT: NA
SPECIAL FIREFIGHTING PROCEDURES: NA
FLAMMABLE OR EXPLOSIVE LIMITS: NA
UNUSUAL FIRE & EXPLOSION PROCEDURES: NONE
EXTINGUISHING MEDIA: NA

SECTION VII-REACTIVITY DATA

STABILITY: Product is stable. Although no hazardous reaction will occur, Supafly should be kept dry until used.

HAZARDOUS DECOMPOSITION: NONE
HAZARDOUS POLYMERIZATION: NA

SECTION VIII-SPILL AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: Use dry cleanup methods that do not disperse the dust into the air. Avoid breathing the dust, use approved dust mask.

WASTE DISPOSAL METHOD: Material can be returned to container for later use, or can be disposed of as common waste.

SECTION IX-SPECIAL PRECAUTIONS

HANDLING AND STORAGE: NONE
OTHER PRECAUTIONS: NONE